

## PRODUCT INDEX

<u>PAGE #</u>	<u>PRODUCT</u>
1	LAMINATED SAFETY GLASS
2	MIRROR
3	CLEAR GLASS
4	TINT GLASS / HARDCOAT LOW-E GLASS
5	PATTERN GLASS
6	POLISHED WIRE / FIRE RATED / SPANDREL
7	CUSTOM MONOLITHIC TEMPERED
8	CUSTOM TEMPERED INSULATED
9	CUSTOM ANNEALED INSULATED
10	GRIDS AND SPACER
11	CUSTOM FABRICATION & SHOWER DOORS
12	CUSTOM LAMINATED / SPECIALTY PRODUCTS

*Updated: June 3, 2026*

# THE **GLENNY GLASS** Co.

*Serving Our Customers Since 1851*

## **LAMINATED SAFETY GLASS**

(CATEGORY II .030 POLYBUTYL VINYL)

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
5/32	CLEAR	36x72
1/4	CLEAR	34 X 80 36 X 84 40 X 80 48 X 84 48 X 96 48 X 120 60 X 96 60 X 120 72 X 96 72 X 120
1/4	GREEN	48 X 84 48 X 96
1/4	GRAY	48 X 84
1/4	BRONZE	48 X 84
1/4	WHITE	48x96

**\*\*\* WE OFFER CUT-TO-SIZE ON LAMINATED \*\*\***  
**\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***

# THE **GLENNY GLASS** CO.

*Serving Our Customers Since 1851*

## **MIRROR**

**\*\*\* ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT \*\*\***  
**\*\*\* SPLIT CHARGE WILL BE ADDED, 3 SPLITS PER SHIPMENT \*\*\***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/8	CLEAR	36 X 84 48 X 84
1/4	CLEAR	42 X 120 48 X 100 48 X 120 60 X 120 72 X 120 72 X 144* 84 X 120

**\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***  
**\*\*\* WE OFFER CUT TO SIZE ON MIRROR \*\*\***

## **MIRROPANE**

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/4	GRAY MIRROPANE	96 X 130*

**\*\*\* WE OFFER CUT TO SIZE ON MIRROPANE \*\*\***  
**\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***

PRODUCT APPLICATION: IDEAL FOR SECURITY AND SURVEILLANCE OBSERVER-SIDE. LIGHTING SHOULD BE DIM, WITH ALL LIGHT SOURCES (SUCH AS HIGH-INTENSITY DESK LAMPS) NOT VISIBLE IN A DIRECT LINE OF SIGHT FROM THE SUBJECT SIDE. OPAQUE SHADES ARE RECOMMENDED

## ***CLEAR FLOAT GLASS***

**\*\*\* ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT \*\*\*  
\*\*\* SPLIT FEE WILL BE ADDED, 3 SPLITS PER SHIPMENT \*\*\***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/32	CLEAR	36 X 84 48 X 60 48 X 84 72 X 84
1/8	CLEAR	36 X 84 48 X 84 72 X 84
3/16	CLEAR	72 X 130 96 X 130*
1/4	CLEAR	48 X 130 72 X 105 72 X 130 96 X 130*
1/4	LOW-IRON	96 X 130*

**\*\*\* WE OFFER CUT TO SIZE ON CLEAR GLASS \*\*\*  
\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***

## TINT & HARDCOAT LOW-E FLOAT GLASS

\*\*\* ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT \*\*\*

\*\*\* SPLIT FEE WILL BE ADDED, 3 SPLITS PER SHIPMENT \*\*\*

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/16	BRONZE/GRAY	96 X 130* (CALL FOR AVAILABILITY) 84 X 130* (CALL FOR AVAILABILITY)
1/4	BRONZE/GRAY	96 X 130* (CALL FOR AVAILABILITY) 84 X 130* (CALL FOR AVAILABILITY)
1/4	BRONZE/GRAY ECLIPSE SUPER GRAY/GREEN	96 X 130* (CALL FOR AVAILABILITY) 96 X 130* (CALL FOR AVAILABILITY)
1/8	HARDCOAT LOW-E (CS73P)	(CALL FOR AVAILABILITY)
3/16	HARDCOAT LOW-E (CS73P)	96 X 130* 72 X 130*
1/4	HARDCOAT LOW-E (ES73P)	84 X 130* 96 X 130*

\*\*\* WE OFFER CUT TO SIZE ON TINT AND LOW-E GLASS \*\*\*

\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\*

# THE **GLENNY GLASS** Co.

*Serving Our Customers Since 1851*

## ***PATTERN GLASS***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/8	PATTERN 62	72 X 84 48 X 60
3/16	PATTERN 62	72 X 84
3/16	AQUATEX	72 X 96
1/8	MATTE (SATIN ETCH)	63-1/4 X 88-1/2
1/4	MATTE (SATIN ETCH)	63 X 88-1/2 88-1/2 X 126
1/8	SEEDY	24 X 48
5/32	REEDED	72 X 96
1/4	RAIN	72 X 96
1/4	SPRAYLITE	72 X 84

**\*\*\* WE OFFER CUT TO SIZE ON PATTERN GLASS \*\*\***  
**\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***

# THE **GLENNY GLASS** CO.

*Serving Our Customers Since 1851*

## ***POLISHED WIRE GLASS***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/4	DIAMOND WIRE	78 X 100

**\*\*\* WE OFFER CUT TO SIZE ON DIAMOND WIRE \*\*\***  
**\*\*\* PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE \*\*\***

**POLISHED WIRE GLASS** IS 60-MINUTE FIRE RATED IN DOORS UP TO 100 SQUARE INCHES (10" X 10"). **POLISHED WIRE GLASS** IS 45-MINUTE FIRE RATED UP TO 1296 SQUARE INCHES FOR DOORS AND OTHER GLAZING APPLICATIONS.

## ***HEAT RESISTANT GLASS***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/16	PYRAN FILMED	43 X 77
3/16	ROBAX	43 X 77

**\*\*\* PYRAN FILM AND NON-FILM OFFERED IN CUT TO SIZE ONLY\*\*\***  
**\*\*\* ROBAX IS OFFERED IN CUT TO SIZE & STOCK SHEET \*\*\***  
**\*\*\* PLEASE NOTE THERE IS A 1 SQ. FT. MINIMUM PER PIECE \*\*\***

**PYRAN® PLATINUM F** IS INTENDED FOR USE IN SAFETY-RATED LOCATIONS SUCH AS DOOR LITES, TRANSOMS, OR SIDELITES, AND WINDOWS WITH FIRE-RATING REQUIREMENTS. GO TO [GLENNYGLASS.COM/RESOURCES](http://GLENNYGLASS.COM/RESOURCES) FOR MORE INFORMATION.

**ROBAX®** IS USED FOR WOOD STOVES, FURNACE SITE GLASS AND TOP PLATES FOR INDUCTION COOKERS. IT HAS A SLIGHT YELLOW TINT. GO TO [GLENNYGLASS.COM/RESOURCES](http://GLENNYGLASS.COM/RESOURCES) FOR MORE INFORMATION.

## ***SPANDREL***

### STANDARD COLORS

WARM GRAY, MEDIUM GRAY, BLACK, HARMONY GRAY, GREEN, HARMONY BRONZE, WHITE

### NON-STOCK COLORS

LAVA BRONZE, HARMONY BLUE, EVERGREEN, & MORE.

## *CUSTOM TEMPERED MONOLITHIC*

<u>THICKNESS</u>	<u>TINT</u>
1/8	CLEAR BRONZE/GRAY PATTERN #62 HARDCOAT LOW-E (CS73) MATTE
3/16	CLEAR BRONZE/GRAY PATTERN #62 HARDCOAT LOW-E (CS73) AQUATEX
5/32	CLEAR REEDED
1/4	CLEAR ARCTIC BLUE BRONZE/GRAY GREEN (SOLEX) SUPERGRAY GRAY MIRROPANE HARDCOAT LOW-E (ES73) GRAY ECLIPSE LOW IRON MATTE RAIN
3/8	CLEAR MATTE LOW-IRON RAIN
1/2	CLEAR MATTE LOW-IRON

**\*\*PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE\*\***

# THE GLENNY GLASS co.

Serving Our Customers Since 1851

## *CUSTOM TEMPERED INSULATED*

<u>THICKNESS</u>	<u>TINT/PATTERN/LOW-E</u>
1/8	CLEAR HARDCOAT LOW-E (CS73) Q180, Q270, Q366 (CARDINAL) BRONZE/GRAY MATTE PATTERN 62
5/32	CLEAR REEDED Q180, Q270, Q366 (CARDINAL)
3/16	CLEAR RLE 7036 (GUARDIAN) HARDCOAT LOW-E (CS73) Q270 (CARDINAL) BRONZE/GRAY PATTERN 62 AQUATEX
1/4	CLEAR HARDCOAT LOW-E (ES73) LOW-IRON SN68 ON CLEAR SNX 60+ ON CLEAR SNX 51/23 ON CLEAR SN68 ON GRAY BRONZE/GRAY GRAY ECLIPSE SUPERGRAY BLUE GREEN (SOLEX) MATTE RAIN SPRAYLITE

**\*\*\*PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE AND A  
5 SQFT MINIMUM FOR LOW-E INSULATED\*\***

# THE GLENNY GLASS co.

Serving Our Customers Since 1851

## *CUSTOM ANNEALED INSULATED*

<u>THICKNESS</u>	<u>TYPE</u>
SS	CLEAR E270 (CARDINAL)
1/8	CLEAR HARDCOAT LOW-E (CS73) E270, E366 (CARDINAL) BRONZE/GRAY MATTE, PATTERN 62
5/32	CLEAR REEDED E270 (CARDINAL)
3/16	CLEAR RLE 7036 (GUARDIAN) HARDCOAT LOW-E (CS73) E270 (CARDINAL) BRONZE/GRAY PATTERN 62 AQUATEX
1/4	CLEAR HARDCOAT LOW-E (ES73) LOW-IRON SN68 ON CLEAR BRONZE/GRAY BLUE GREEN (SOLEX) MATTE RAIN SPRAYLITE MIRROPANE

**\*\*\*PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE AND A  
5 SQFT MINIMUM FOR LOW-E INSULATED\*\***

## **GRIDS AND SPACER**

<u>SPACER TYPE</u>	<u>THICKNESS</u>
ALUMINUM	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4
BLACK ALUMINUM	1/2, 5/8
BRONZE ALUMINUM	1/2, 5/8
SUPER SPACER GRAY	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4
SUPER SPACER BLACK	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4
TPS	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4

<u>GRID TYPE:</u>	<u>THICKNESS</u>	<u>COLOR</u>
FLAT	5/8	WHITE, BRONZE, TAN, MILL, CHAMPAGNE/WHITE, TAN/WHITE, GREEN, CHAMPAGNE, BLACK, BLACK/WHITE, BRONZE/WHITE
FLAT	3/4	WHITE, BRONZE, TAN, BLACK, CHAMPAGNE
FLAT	1	WHITE
CONTOUR (PROFILE)	11/16	WHITE, TAN, CHAMPAGNE, BLACK, CHAMPAGNE/WHITE, TAN/WHITE, BLACK/WHITE, BRONZE/WHITE

**\*\*SEALANT AVAILABLE IN DUAL SEAL SILICONE BLACK, OR  
DUAL SEAL REACTIVE HOT MELT BLACK\*\***

# THE **GLENNY GLASS** CO.

*Serving Our Customers Since 1851*

## ***CUSTOM FABRICATION AND SHOWER DOORS***

### EDGE WORK

### THICKNESS

FLAT POLISH

1/8" - 1/2"

FLAT POLISH CONTOUR

3/16" - 1/2"

PENCIL POLISH

5/32" - 1/2"

PENCIL POLISH CONTOUR

3/16" - 1/2"

MITER (22.5° OR 45°)

5/32" - 1/2"

OGEE

1/2"

BEVEL

1/8" - 1/2" (DEPENDING ON BEVEL LENGTH)

### HOLE DRILLS

#### STANDARD SIZES

1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"

#### CUSTOM SIZES

MUST BE GREATER THAN 11/16" AND WITHIN OUR GUIDELINES

### CNC WORK

AUTO CUT SHAPES

PATTERN / FREE FORM SHAPES

CORNER & EDGE NOTCH

HINGE CUTOUT

INTERNAL CUTOUT

V NOTCH / THUMB NOTCH

### HYDROPHOBIC PROTECTIVE COATING

DIAMON-FUSION® PROTECTIVE GLASS COATING – MACHINE APPLIED TO BOTH SIDES

# THE **GLENNY GLASS** CO.

*Serving Our Customers Since 1851*

## ***CUSTOM LAMINATED / SPECIALTY PRODUCTS***

### INTERLAYER

### THICKNESS

EVA

.030  
.045  
.060  
UP TO .120

SENTRYGLAS PLUS

.060  
.090

EVA CUSTOM COLORS  
AND PRINT OPTIONS AVAILABLE

STANDARD OPAQUE WHITE, SANDBLAST  
WHITE, OPAQUE BLACK

**\*\*CUSTOM LAMINATED IS AVAILABLE IN ANNEALED, TEMPERED, AND A VARIETY OF GLASS TYPES, CAN BE USED IN IG UNITS, CNC FABRICATION WITH SIZES UP TO 96" X 140" – CALL FOR MORE DETAILS\*\***

### BACK-PAINTED GLASS

STANDARD COLORS

WHITE AND BLACK

CUSTOM COLORS

CAN MATCH COLORS PROVIDED BASED ON PAINT SUPPLIER SKEWS

**\*\*BACK-PAINT IS AVAILABLE IN A VARIETY OF GLASS TYPES, CNC FABRICATION WITH SIZES UP TO 96" X 140" – CALL FOR MORE DETAILS\*\***

### BLIND INSULATED UNITS

LIFT & TILT BLINDS WITH MAGNETIC SLIDE CONTROL

SLAT COLOR OPTIONS: WHITE, TAN, SILVER, GOLD, ALABASTER, AND BLACK

EXTRUSION COLORS: WHITE, ALABASTER, SILVER, AND BLACK

**\*\*BLIND UNITS ARE AVAILABLE IN 3MM AND 4MM GLASS THICKNESSES, ANNEALED, TEMPERED, WITH HARDCOAT AND SOFTCOAT LOW-E – CALL FOR MORE DETAILS\*\***