

PRODUCT INDEX

<u>PAGE #</u>	<u>PRODUCT</u>
1	LAMINATED SAFETY GLASS
2	MIRROR
3	CLEAR GLASS
4	TINT GLASS / HARDCOAT LOW-E GLASS
5	PATTERN GLASS
6	POLISHED WIRE / FIRE RATED / SPANDREL
7	CUSTOM MONOLITHIC TEMPERED
8	CUSTOM TEMPERED INSULATED
9	CUSTOM ANNEALED INSULATED
10	GRIDS AND SPACER
11	CUSTOM FABRICATION & SHOWER DOORS
12	CUSTOM LAMINATED / SPECIALTY PRODUCTS

Updated: September 21, 2026



Serving Our Customers Since 1851

LAMINATED SAFETY GLASS

(CATEGORY II .030 POLYBUTYL VINYL)

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
5/32	CLEAR	36x72
1/4	CLEAR	34 X 80 36 X 84 40 X 80 48 X 84 48 X 96 48 X 120 60 X 96 60 X 120 72 X 96 72 X 120
1/4	GREEN	48 X 84 48 X 96
1/4	GRAY	48 X 84
1/4	BRONZE	48 X 84
1/4	WHITE	48x96

***** WE OFFER CUT-TO-SIZE ON LAMINATED *****

***** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE *****

THE GLENNY GLASS co.

Serving Our Customers Since 1851

MIRROR

*** ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT ***
*** SPLIT CHARGE WILL BE ADDED, 3 SPLITS PER SHIPMENT ***

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/8	CLEAR	36 X 84 48 X 84
1/4	CLEAR	42 X 120 48 X 100 48 X 120 60 X 120 72 X 120 72 X 144* 84 X 120

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***
*** WE OFFER CUT TO SIZE ON MIRROR ***

MIRROPANE

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/4	GRAY MIRROPANE	96 X 130*

*** WE OFFER CUT TO SIZE ON MIRROPANE ***
*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***

PRODUCT APPLICATION: IDEAL FOR SECURITY AND SURVEILLANCE OBSERVER-SIDE. LIGHTING SHOULD BE DIM, WITH ALL LIGHT SOURCES (SUCH AS HIGH-INTENSITY DESK LAMPS) NOT VISIBLE IN A DIRECT LINE OF SIGHT FROM THE SUBJECT SIDE. OPAQUE SHADES ARE RECOMMENDED



Serving Our Customers Since 1851

CLEAR FLOAT GLASS

***** ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT *****
***** SPLIT FEE WILL BE ADDED, 3 SPLITS PER SHIPMENT *****

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/32	CLEAR	36 X 84
		48 X 60
		48 X 84
		72 X 84
1/8	CLEAR	36 X 84
		48 X 84
		72 X 84
3/16	CLEAR	72 X 130
		96 X 130*
1/4	CLEAR	48 X 130
		72 X 105
		72 X 130
		96 X 130*
1/4	LOW-IRON	96 X 130*

***** WE OFFER CUT TO SIZE ON CLEAR GLASS *****
***** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE *****



Serving Our Customers Since 1851

***TINT & HARDCOAT LOW-E FLOAT
GLASS***

***** ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT *****

***** SPLIT FEE WILL BE ADDED, 3 SPLITS PER SHIPMENT *****

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/16	BRONZE/GRAY	96 X 130* (CALL FOR AVAILABILITY) 84 X 130* (CALL FOR AVAILABILITY)
1/4	BRONZE/GRAY	96 X 130* (CALL FOR AVAILABILITY) 84 X 130* (CALL FOR AVAILABILITY)
1/4	BRONZE/GRAY ECLIPSE SUPER GRAY/GREEN	96 X 130* (CALL FOR AVAILABILITY) 96 X 130* (CALL FOR AVAILABILITY)
1/8	HARDCOAT LOW-E (CS73P)	(CALL FOR AVAILABILITY)
3/16	HARDCOAT LOW-E (CS73P)	96 X 130* 72 X 130*
1/4	HARDCOAT LOW-E (ES73P)	84 X 130* 96 X 130*

***** WE OFFER CUT TO SIZE ON TINT AND LOW-E GLASS *****

***** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE *****

PATTERN GLASS

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/8	PATTERN 62	72 X 84 48 X 60
3/16	PATTERN 62	72 X 84
3/16	AQUATEX	72 X 96
1/8	MATTE (SATIN ETCH)	63-1/4 X 88-1/2
1/4	MATTE (SATIN ETCH)	63 X 88-1/2 88-1/2 X 126
1/8	SEEDY	24 X 48
5/32	REEDED	72 X 96
1/4	RAIN	72 X 96
1/4	SPRAYLITE	72 X 84

***** WE OFFER CUT TO SIZE ON PATTERN GLASS *****
***** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE *****



Serving Our Customers Since 1851

POLISHED WIRE GLASS

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
1/4	DIAMOND WIRE	78 X 100

***** WE OFFER CUT TO SIZE ON DIAMOND WIRE *****
***** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE *****

POLISHED WIRE GLASS IS 60-MINUTE FIRE RATED IN DOORS UP TO 100 SQUARE INCHES (10" X 10"). **POLISHED WIRE GLASS** IS 45-MINUTE FIRE RATED UP TO 1296 SQUARE INCHES FOR DOORS AND OTHER GLAZING APPLICATIONS.

HEAT RESISTANT GLASS

<u>THICKNESS</u>	<u>TYPE</u>	<u>SHEET SIZE</u>
3/16	PYRAN FILMED	43 X 77
3/16	ROBAX	43 X 77

***** PYRAN FILM AND NON-FILM OFFERED IN CUT TO SIZE ONLY*****
***** ROBAX IS OFFERED IN CUT TO SIZE & STOCK SHEET *****
***** PLEASE NOTE THERE IS A 1 SQ. FT. MINIMUM PER PIECE *****

PYRAN® PLATINUM F IS INTENDED FOR USE IN SAFETY-RATED LOCATIONS SUCH AS DOOR LITES, TRANSOMS, OR SIDELITES, AND WINDOWS WITH FIRE-RATING REQUIREMENTS. GO TO GLENNYGLASS.COM/RESOURCES FOR MORE INFORMATION.

ROBAX® IS USED FOR WOOD STOVES, FURNACE SITE GLASS AND TOP PLATES FOR INDUCTION COOKERS. IT HAS A SLIGHT YELLOW TINT. GO TO GLENNYGLASS.COM/RESOURCES FOR MORE INFORMATION.

SPANDREL

STANDARD COLORS

WARM GRAY, MEDIUM GRAY, BLACK, HARMONY GRAY, GREEN, HARMONY BRONZE, WHITE

NON-STOCK COLORS

LAVA BRONZE, HARMONY BLUE, EVERGREEN, & MORE.

CUSTOM TEMPERED MONOLITHIC

<u>THICKNESS</u>	<u>TINT</u>
1/8	CLEAR BRONZE/GRAY PATTERN #62 HARDCOAT LOW-E (CS73) MATTE
3/16	CLEAR BRONZE/GRAY PATTERN #62 HARDCOAT LOW-E (CS73) AQUATEX
5/32	CLEAR REEDED
1/4	CLEAR ARCTIC BLUE BRONZE/GRAY GREEN (SOLEX) SUPERGRAY GRAY MIRROPANE HARDCOAT LOW-E (ES73) GRAY ECLIPSE LOW IRON MATTE RAIN
3/8	CLEAR MATTE LOW-IRON RAIN
1/2	CLEAR MATTE LOW-IRON

****PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE****

CUSTOM TEMPERED INSULATED

<u>THICKNESS</u>	<u>TINT/PATTERN/LOW-E</u>
1/8	CLEAR HARDCOAT LOW-E (CS73) Q180, Q270, Q366 (CARDINAL) BRONZE/GRAY MATTE PATTERN 62
5/32	CLEAR REEDED Q180, Q270, Q366 (CARDINAL)
3/16	CLEAR RLE 7036 (GUARDIAN) HARDCOAT LOW-E (CS73) Q270 (CARDINAL) BRONZE/GRAY PATTERN 62 AQUATEX
1/4	CLEAR HARDCOAT LOW-E (ES73) LOW-IRON SN68 ON CLEAR SNX 60+ ON CLEAR SNX 51/23 ON CLEAR SN68 ON GRAY BRONZE/GRAY GRAY ECLIPSE SUPERGRAY BLUE GREEN (SOLEX) MATTE RAIN SPRAYLITE

*****PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE AND A
5 SQFT MINIMUM FOR LOW-E INSULATED****

CUSTOM ANNEALED INSULATED

<u>THICKNESS</u>	<u>TYPE</u>
SS	CLEAR E270 (CARDINAL)
1/8	CLEAR HARDCOAT LOW-E (CS73) E270, E366 (CARDINAL) BRONZE/GRAY MATTE, PATTERN 62
5/32	CLEAR REEDED E270 (CARDINAL)
3/16	CLEAR RLE 7036 (GUARDIAN) HARDCOAT LOW-E (CS73) E270 (CARDINAL) BRONZE/GRAY PATTERN 62 AQUATEX
1/4	CLEAR HARDCOAT LOW-E (ES73) LOW-IRON SN68 ON CLEAR BRONZE/GRAY BLUE GREEN (SOLEX) MATTE RAIN SPRAYLITE MIRROPANE

*****PLEASE NOTE THERE IS A 3 SQFT MINIMUM PER PIECE AND A
5 SQFT MINIMUM FOR LOW-E INSULATED****

GRIDS AND SPACER

<u>SPACER TYPE</u>	<u>THICKNESS</u>	
ALUMINUM	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	
SUPER SPACER GRAY	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	
TPS (BLACK)	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	
<u>GRID TYPE:</u>	<u>THICKNESS</u>	
FLAT	5/8	
FLAT	3/4	
		<u>COLOR</u>
FLAT	1	WHITE, BRONZE, TAN, MILL, CHAMPAGNE/WHITE, TAN/WHITE, GREEN, CHAMPAGNE, BLACK, BLACK/WHITE, BRONZE/WHITE
CONTOUR (PROFILE)	11/16	WHITE, BRONZE, TAN, BLACK, CHAMPAGNE
		WHITE

****SEALANT AVAILABLE IN DUAL SEAL SILICONE BLACK, OR
DUAL SEAL REACTIVE HOT MELT BLACK****

CUSTOM FABRICATION AND SHOWER DOORS

EDGE WORK

THICKNESS

FLAT POLISH

1/8" - 1/2"

FLAT POLISH CONTOUR

3/16" - 1/2"

PENCIL POLISH

5/32" - 1/2"

PENCIL POLISH CONTOUR

3/16" - 1/2"

MITER (22.5° OR 45°)

5/32" - 1/2"

BEVEL

1/8" - 1/2"

HOLE DRILLS

STANDARD SIZES

1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"

CUSTOM SIZES

MUST BE GREATER THAN 11/16" AND WITHIN OUR GUIDELINES

CNC WORK

AUTO CUT SHAPES

PATTERN / FREE FORM SHAPES

CORNER & EDGE NOTCH

HINGE CUTOUT

INTERNAL CUTOUT

V NOTCH / THUMB NOTCH

HYDROPHOBIC PROTECTIVE COATING

DIAMON-FUSION® PROTECTIVE GLASS COATING – MACHINE APPLIED TO BOTH SIDES

CUSTOM LAMINATED / SPECIALTY PRODUCTS

INTERLAYER

THICKNESS

EVA

.030
.045
.060
UP TO .120

SENTRYGLAS PLUS

.060
.090

EVA CUSTOM COLORS
AND PRINT OPTIONS AVAILABLE

STANDARD OPAQUE WHITE, SANDBLAST
WHITE, OPAQUE BLACK

****CUSTOM LAMINATED IS AVAILABLE IN ANNEALED, TEMPERED, AND A
VARIETY OF GLASS TYPES, CAN BE USED IN IG UNITS, CNC FABRICATION
WITH SIZES UP TO 96" X 140" – CALL FOR MORE DETAILS****

BACK-PAINTED GLASS

STANDARD COLORS

WHITE AND BLACK

CUSTOM COLORS

CAN MATCH COLORS PROVIDED BASED ON PAINT SUPPLIER SKEWS

****BACK-PAINT IS AVAILABLE IN A VARIETY OF GLASS TYPES, CNC
FABRICATION WITH SIZES UP TO 96" X 140" – CALL FOR MORE DETAILS****

BLIND INSULATED UNITS

LIFT & TILT BLINDS WITH MAGNETIC SLIDE CONTROL

SLAT COLOR OPTIONS: WHITE, TAN, SILVER, GOLD, ALABASTER, AND BLACK

EXTRUSION COLORS: WHITE, ALABASTER, SILVER, AND BLACK

****BLIND UNITS ARE AVAILABLE IN 3MM AND 4MM GLASS THICKNESSES,
ANNEALED, TEMPERED, WITH HARDCOAT AND SOFTCOAT LOW-E – CALL
FOR MORE DETAILS****