

INDEX

PAGE #	<u>PRODUCT</u>
1	FLAT LAMINATED SAFETY FLOAT GLASS STOCK SHEET SIZES
2	MIRROR STOCK SHEETS/BEVELED STRIPS
3	STOCK FLOAT GLASS SIZES/LOW-E GLASS
4	STOCK PATTERN GLASS/POLISHED WIRE/PYREX & ROBAX/MIRROPANE
5	CUSTOM MONOLITHIC TEMPERED
6	CUSTOM TEMPERED INSULATED
7	CUSTOM ANNEALED INSULATED
8	GRIDS AND SPACERS

INSULATED, STOCK SHEET, AND CUSTOM FABRICATION PRICING AVAILABLE UPON REQUEST.

Updated: September 21, 2023



LAMINATED SAFETY GLASS STOCK SHEET SIZES

(CATEGORY II .030 POLYBUTYL VINYL)

THICKNESS	<u>TYPE</u>	SHEET SIZE
5/32	CLEAR	36x72 48 X84
1/4	CLEAR	34 X 80 36 X 84 40 X 80 48 X 84 48 X 96 48 X 120 60 X 96 60 X 120 72 X 96 72 X 120
1/4	GREEN	36 X 84 48 X 84 48 X 96
1/4	GRAY	48 X 84
1/4	BRONZE	48 X 84 60 X 96
1/4	WHITE	48x96

*** WE OFFER CUT-TO-SIZE ON LAMINATED *** *** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***



MIRROR STOCK SHEET SIZES

*** ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT *** *** SPLIT CHARGE WILL BE ADDED, 3 SPLITS PER SHIPMENT ***

- 1/8 CLEAR 36 X 84 48 X 84
- 1/4 CLEAR 42 X 120 48 X 100 48 X 120 60 X 120 72 X 120 72 X 144* 84 X 120

BEVELED MIRROR STRIPS 2 X 120

MIRROPANE

1/4 GRAY MIRROPANE 96 X 130* *** WE OFFER CUT TO SIZE ON MIRROPANE *** *** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM ***

PRODUCT APPLICATION: IDEAL FOR SECURITY AND SURVEILLANCE OBSERVER-SIDE. LIGHTING SHOULD BE DIM, WITH ALL LIGHT SOURCES (SUCH AS HIGH-INTENSITY DESK LAMPS) NOT VISIBLE IN A DIRECT LINE OF SIGHT FROM THE SUBJECT SIDE. OPAQUE SHADES ARE RECOMMENDED FOR BEST RESULTS.

1/4 MIRROVIEW 50/50 GEN II 96 X 130*



FLOAT GLASS STOCK SHEET SIZES

*** ALL STOCK SIZES WITH AN ASTRICH MUST BE SPLIT FOR SHIPMENT *** *** SPLIT FEE WILL BE ADDED, 3 SPLITS PER SHIPMENT ***

SINGLE-STRENGTH CLR

DOUBLE-STRENGTH CLR

 36 X 84
 36 X 60

 48 X 60
 36 x 84

 48 X 84
 48 X 60

 72 X 84
 48 X 84

 72 X 84
 72 X 84

3/16 CLEAR

72 X	130
84 X	130*
96 X	130*

3/16 TINTED (CALL FOR AVAILABILITY) 96 X 130* (BRONZE/GRAY) 84 X 130*

1/4 CLEAR

	·	
48 2	X 13	30
60 Z	X 13	30
72 2	X 1()5
72 2	X 13	30
84 2	X 13	80*
96 X	X 13	80*

1/4 TINTED (CALL FOR AVAILABILITY) 96 X 130*, 84 X 130* BRONZE/GRAY, 96 X 130* GRAY & BRONZE ECLIPSE, ARCTIC BLUE, SUPER GRAY, GREEN (SOLEX)

<u>3/8 CLEAR</u> 72 X 130

LOW EMMISSIVITY FLOAT GLASS (LOF LOW-E)

1/8 *CALL FOR AVAILABILITY

3/16	96 X 130*
	72 X 130
1/4	84 X 130*
	96 X 130*

<u>3/4 CLEAR</u>

<u>1/2 CLEAR</u>

102 X 130*

72 X 130

*** WE OFFER CUT TO SIZE ON ANY OF THE ABOVE TYPES OF GLASS *** *** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***



Serving Our Customers Since 1851

PATTERN GLASS

TYPE	<u>THICKNESS</u>	<u>SIZE</u>
PATTERN #62	1/8	72 X 84, 48 X 60
PATTERN #62	3/16	72 X 84
AQUATEX	3/16	72 X 96
MATTE	1/8	63 1/4 X 88 1/2
MATTE	1/4	63 X 88 1/2, 88 1/2 X 126
SEEDY	1/8	24 X 48
REEDED	5/32	60 X 100
RAIN	1/4	72 X 96
SPRAYLITE	1/4	72 X 84

*** WE OFFER CUT TO SIZE ON PATTERN GLASS *** *** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***

1/4 POLISHED WIRE GLASS

DIAMOND 78 X 100 ******* WE OFFER CUT TO SIZE ON WIRE GLASS ******* *** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***

POLISHED WIRE GLASS IS 60-MINUTE FIRE RATED IN DOORS UP TO 100 SQUARE INCHES (10" X 10"). POLISHED WIRE GLASS IS 45-MINUTE FIRE RATED UP TO 1296 SQUARE INCHES FOR DOORS AND OTHER GLAZING APPLICATIONS.

HEAT RESISTANT GLASS

PYRAN FILMED	3/16	43 X 77 / 51 X 99
ROBAX	3/16	31 X 62

*** PYRAN FILM AND NON-FILM OFFERED IN CUT TO SIZE ONLY*** *** ROBAX IS OFFERED IN CUT TO SIZE & STOCK SHEET *** *** PLEASE NOTE THERE IS A 1 SQ. FT. MINIMUM PER PIECE ***

<u>ROBAX</u> HAS A MAXIMUM SERVICE TEMPERATURE OF 1472 DEGREES FAHRENHEIT. THIS PRODUCT IS A CERAMIC-BASED MATERIAL WITH ZERO THERMAL EXPANSION. ROBAX IS USED FOR WOOD STOVES, FURNACE SITE GLASS AND TOP PLATES FOR INDUCTION COOKERS. IT HAS A SLIGHT YELLOW TINT.

VARIOUS OBSCURE PATTERN GLASS IN A VARIETY OF STYLES-CALL FOR AVAILABILITY



CUSTOM MONOLITHIC TEMPERED

THICKNESS	<u>TINT</u>	*** PLEASE NOTE THERE
1/8	CLEAR BRONZE/GRAY PATTERN #62 LOW-E (LOF) GLUECHIP MATTE	IS A 3 SQ. FT. MINIMUM PER PIECE ***
3/16	CLEAR BRONZE/GRAY PATTERN #62 LOW-E (LOF) AQUATEX	
5/32	CLEAR REEDED	
1/4	CLEAR ARCTIC BLUE BRONZE/GRAY GREEN (SOLEX) SUPERGRAY GRAY MIRROPANE MIRROVIEW 50/50 GEN II LOW-E ECLIPSE BRONZE/GRAY OPTIWHITE MATTE RAIN	
3/8	CLEAR MATTE OPTIWHITE RAIN	
1/2	CLEAR MATTE OPTIWHITE	
3/4	CLEAR	



CUSTOM TEMPERED INSULATED

LITE THICKNESS	TINT/PATTERN/LOW-E
1/8	CLEAR RLE HT (GUARDIAN) LOF LOW-E (PILKINGTON) BRONZE/GRAY MATTE PATTERN 62 GLUE-CHIP
3/16	CLEAR RLE 7036 (GUARDIAN) LOF LOW-E (PILKINGTON) BRONZE/GRAY PATTERN 62 AQUATEX
5/32	CLEAR REEDED
1/4	CLEAR LOF LOW-E (PILKINGTON) LOF OPTI-WHITE SN68 ON CLEAR SNX62/27 ON CLEAR SN68 HT ON GRAY BRONZE/GRAY BRONZE ECLIPSE/GRAY ECLIPSE SUPERGRAY BLUE EVERGREEN GREEN GREEN MATTE RAIN SPRAYLITE



CUSTOM ANNEALED INSULATED

LITE THICKNESS	TINT/PATTERN/LOW-E
SS	CLEAR RLE 7036
1/8	CLEAR RLE 70 ANN (GUARDIAN) LOF LOW-E (PILKINGTON) BRONZE/GRAY MATTE, PATTERN 62, GLUECHIP
3/16	CLEAR RLE 7036 (GUARDIAN) LOF LOW-E (PILKINGTON) BRONZE/GRAY PATTERN 62 AQUATEX PYRAN FILM
5/32	CLEAR REEDED
1/4	CLEAR LOF LOW-E (PILKINGTON) LOF OPTI-WHITE SN68 ON CLEAR SNX62/27 ON CLEAR BRONZE/GRAY BRONZE ECLIPSE/GRAY ECLIPSE SUPERGRAY BLUE EVERGREEN GREEN (SOLEX) MATTE RAIN SPRAYLITE MIRROPANE



GRIDS AND SPACER

SPACER TYPE	THICKNESS		
ALUMINUM	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4		
BLACK	1/4, 5/16, 3/8, 1/2, 9/16, 5/8		
BRONZE	1/4, 5/16, 3/8, 1/2, 5/8		
SUPER SPACER GRAY	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4		
<u>GRID TYPE</u> :	THICKNESS	COLOR	
FLAT	5/8	WHITE, BRONZE, TAN, MILL, CHAMPAGNE/WHITE, TAN/WHITE, GREEN, CHAMPAGNE, BLACK, BLACK/WHITE, BRONZE/WHITE	
FLAT	3/4	WHITE, BRONZE, TAN, MILL BLACK, CHAMPAGNE	
FLAT	1	WHITE	
CONTOUR	11/16	WHITE PROFILE, TAN PROFILE, CHAMPAGNE PROFILE, CHAMPAGNE/WHITE PROFILE TAN/WHITE, BLACK/WHITE, BRONZE/WHITE	

*SEALANT AVAILABLE IN DUAL SEAL SILICONE BLACK, OR DUAL SEAL POLYSULFIDE BLACK