Serving Our Customers Since 1851

INDEX

PAGE #	PRODUCT
1	FLAT LAMINATED SAFETY FLOAT GLASS STOCK SHEET SIZES
2	MIRROR STOCK SHEETS/BEVELED STRIPS
3	STOCK FLOAT GLASS SIZES/LOW-E GLASS
4	STOCK PATTERN GLASS/POLISHED WIRE/PYREX & ROBAX/MIRROPANE
5	CUSTOM MONOLITHIC TEMPERED
6	CUSTOM TEMPERED INSULATED
7	CUSTOM ANNEALED INSULATED
8	GRIDS AND SPACERS

INSULATED, STOCK SHEET, AND CUSTOM FABRICATION PRICING AVAILABLE UPON REQUEST.

Updated: October 10, 2022

Serving Our Customers Since 1851

LAMINATED SAFETY GLASS STOCK SHEET SIZES

(CATEGORY II .030 POLYBUTYL VINYL)

5/32 CLEAR	48 X84
1/4 CLEAR	

34 X 80 36 X 84 40 X 80

48 X 84 48 X 96

48 X 120 60 X 96 60 X 120

72 X 96 72 X 120

1/4 GREEN 36 X 84

48 X 84

1/4 GRAY 48 X 84

1/4 BRONZE 48 X 84

60 X 96

1/4 WHITE Call for availability

*** WE OFFER CUT-TO-SIZE ON LAMINATED ***

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER

PIECE ***

Serving Our Customers Since 1851

MIRROR STOCK SHEET SIZES

1/8 CLEAR	36 X 84
	48 X 84

1/4 CLEAR

	*** WE OFFER CUT TO SIZE ON MIRROR ***
42 X 120	*** PLEASE NOTE THERE IS A 2 SQ.
48 X 100	FT. MINIMUM PER PIECE ***
48 X 120	
60 X 120	
72 X 120	
72 X 144	
84 X 120	

BEVELED MIRROR STRIPS 2 X 120

1/4 GRAY MIRROPANE

96 X 130

*** WE OFFER CUT TO SIZE ON MIRROPANE ***

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM ***

PRODUCT APPLICATION: IDEAL FOR SECURITY AND SURVEILLANCE OBSERVER-SIDE. LIGHTING SHOULD BE DIM, WITH ALL LIGHT SOURCES (SUCH AS HIGH-INTENSITY DESK LAMPS) NOT VISIBLE IN A DIRECT LINE OF SIGHT FROM THE SUBJECT SIDE. OPAQUE SHADES ARE RECOMMENDED FOR BEST RESULTS.

Serving Our Customers Since 1851

FLOAT GLASS STOCK SHEET SIZES

SINGLE-STRENGTH CLR	DOUBLE-STRENGTH CLR
36 X 84	36 X 60
48 X 60	36 x 84
48 X 84	48 X 60
72 X 84	48 X 84
72 X 84	72 X 84
3/16 CLEAR	3/16 TINTED (CALL FOR AVAILABILITY)
72 X 130	96 X 130 (BRONZE/GRAY)
84 X 130	84 X 130
96 X 130	
1/4 CLEAR	1/4 TINTED (CALL FOR AVAILABILITY)
48 X 130	96 X 130, 84 X 130 BRONZE/GRAY,
60 X 130	96 X 130 GRAY & BRONZE ECLIPSE,
72 X 105	ARCTIC BLUE, SUPER GRAY,
72 X 130	GREEN (SOLEX))
72 X 144	
84 X 130	
96 X 130 ** MUST BE	SPLIT **

3/8 CLEAR	LOW EMMISSIVITY FLOAT GLASS	
48 X 130	1/8 72 X 84	
96 X 130	1/8 72 X 130	
	3/16 96 X 130	
	72 X 130	
1/2 CLEAR	1/4 96 X 130	
72 X 130	96 X 130	
96 X 130		

*** WE OFFER CUT TO SIZE ON ANY OF THE

ABOVE TYPES OF GLASS ***

96 X 130

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM
PER PIECE ***

Serving Our Customers Since 1851

PATTERN GLASS

<u>TYPE</u>	THICKNESS	SIZE
PATTERN #62	1/8	72 X 84, 48 X 60
PATTERN #62	3/16	72 X 84
AQUATEX	3/16	60X84
MATTE	1/8	63 1/4 X 88 1/2
MATTE	1/4	63 X 88 ½, 88 ½ X 126
SEEDY	1/8	24 X 48
REEDED	5/32	60 X 100

*** WE OFFER CUT TO SIZE ON PATTERN GLASS ***

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***

1/4 POLISHED WIRE GLASS

DIAMOND 78 X 100 *** WE OFFER CUT TO SIZE ON WIRE GLASS ***

*** PLEASE NOTE THERE IS A 2 SQ. FT. MINIMUM PER PIECE ***

POLISHED WIRE GLASS IS 60-MINUTE FIRE RATED IN DOORS UP TO 100 SQUARE INCHES (10" X 10"). POLISHED WIRE GLASS IS 45-MINUTE FIRE RATED UP TO 1296 SQUARE INCHES FOR DOORS AND OTHER GLAZING APPLICATIONS.

HEAT RESISTANT GLASS

PYREX	1/8	33 X 45	
PYREX	1/4	33 X 45	*** WE OFFER CUT TO SIZE ON PYREX/ROBAX ***
ROBAX	3/16	31 X 62	*** PLEASE NOTE THERE IS A 1 SO. FT. MINIMUM PER PIECE ***

ROBAX HAS A MAXIMUM SERVICE TEMPERATURE OF 1472 DEGREES FAHRENHEIT. THIS PRODUCT IS A CERAMIC-BASED MATERIAL WITH ZERO THERMAL EXPANSION. ROBAX IS USED FOR WOOD STOVES, FURNACE SITE GLASS AND TOP PLATES FOR INDUCTION COOKERS. IT HAS A SLIGHT YELLOW TINT.

PYREX HAS A MAXIMUM SERVICE TEMPERATURE OF 914 DEGREES FAHRENHEIT. PYREX IS A BOROSILICATE SILICONE SAND-BASED PRODUCT. IT IS NEARLY CLEAR IN COLOR. THIS PRODUCT IS USED FOR FIREPLACES, STOVETOPS, AND OTHER HIGH-HEAT EXPOSURE AREAS.

VARIOUS OBSCURE PATTERN GLASS IN A VARIETY OF STYLES-CALL FOR AVAILABILITY

Serving Our Customers Since 1851

CUSTOM MONOLITHIC TEMPERED

THICKNESS	TINT	*** PLEASE NOTE THERE
1/8	CLEAR BRONZE/GRAY PATTERN #62 LOW-E GLUECHIP MATTE	IS A 3 SQ. FT. MINIMUM PER PIECE ***
3/16	CLEAR BRONZE/GRAY PATTERN #62 LOW-E AQUATEX	
5/32	CLEAR REEDED	
1/4	CLEAR ARCTIC BLUE BRONZE/GRAY GREEN/SOLEX SUPERGRAY GRAY MIRROPANE LOW-E ECLIPSE BRONZE/GRAY OPTIWHITE MATTE RAIN	
3/8	CLEAR LUX CLEAR MATTE OPTIWHITE RAIN	
1/2	CLEAR MATTE OPTIWHITE	
3/4	CLEAR	

Serving Our Customers Since 1851

CUSTOM TEMPERED INSULATED

<u>LITE THICKNESS</u> <u>TINT/PATTERN/LOW-E</u>

/8 CLEAR

RLE HT (GUARDIAN)

LOF LOW-E (PILKINGTON)

BRONZE/GRAY

MATTE

PATTERN 62 GLUE-CHIP

3/16 CLEAR

RLE 7036 (GUARDIAN)

LOF LOW-E (PILKINGTON)

BRONZE/GRAY PATTERN 62 AQUATEX

5/32 CLEAR

REEDED

1/4 CLEAR

LOF LOW-E (PILKINGTON)

LOF OPTI-WHITE SN68 ON CLEAR

SNX62/27 HT ON CLEAR

SN68 HT ON GRAY BRONZE/GRAY

BRONZE ECLIPSE/GRAY ECLIPSE

SUPERGRAY

BLUE

EVERGREEN

GREEN

MATTE, RAIN, SPRAYLITE,

Serving Our Customers Since 1851

CUSTOM ANNEALED INSULATED

<u>LITE THICKNESS</u> <u>TINT/PATTERN/LOW-E</u>

SS CLEAR

RLE 7036

1/8 CLEAR

RLE 70 ANN (GUARDIAN) LOF LOW-E (PILKINGTON)

BRONZE/GRAY

MATTE, PATTERN 62, GLUECHIP

MIRROR

3/16 CLEAR

RLE 7036 (GUARDIAN) LOF LOW-E (PILKINGTON)

BRONZE/GRAY PATTERN 62 AQUATEX

PYRAN FILM/NON-FILM

5/32 CLEAR

REEDED

1/4 CLEAR

LOF LOW-E (PILKINGTON)

LOF OPTI-WHITE SN68 ON CLEAR SNX62/27 ON CLEAR

BRONZE/GRAY

BRONZE ECLIPSE/GRAY ECLIPSE

SUPERGRAY

BLUE

EVERGREEN

GREEN

MATTE, RAIN, SPRAYLITE MIRROR, MIRROPANE

Serving Our Customers Since 1851

GRIDS AND SPACER

KNESS
•

ALUMINUM 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4

BLACK 1/4, 5/16, 3/8, 1/2, 9/16, 5/8

BROZE 1/4, 5/16, 3/8, 1/2, 5/8

SUPER SPACER GRAY 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4

<u>GRID TYPE</u>: <u>THICKNESS</u> <u>COLOR</u>

FLAT 5/8 WHITE, BRONZE, TAN, MILL,

CHAMPAGNE/WHITE, TAN/WHITE, GREEN,

CHAMPAGNE,

FLAT 3/4 WHITE, BRONZE, TAN, MILL

BLACK, CHAMPAGNE

FLAT 1 WHITE

CONTOUR 11/16 WHITE PROFILE, TAN PROFILE,

CHAMPAGNE PROFILE,

CHAMPAGNE/WHITE PROFILE

^{*}SEALANT AVAILABLE IN DUAL SEAL SILICONE BLACK, OR DUAL SEAL POLYSULFIDE BLACK